

WOODEN SERIES

Presenting our exclusive range of Wooden textured tiles. These tiles are made to blend your decor aesthetics with the impressions of natural wood. Comes with high endurance and strength, this series is formulated to make sure it leaves a trace of everlasting grandeur inside your space. This remarkable series makes sure to woo your visitors to have a pleasant time residing at a space that provides relaxation granted by the natural environment.



DURABLE



ACID

RESISTANT



RESISTANT



CLEAN



DIMENSIONAL



SLIP

RESISTANCE



ECO FRIENDLY

MAINTENANCE

600X1200MM













REGAL BOSCO WOOD WENGE





REGAL BOSCO WOOD MOKA





REGAL CINNAMON WOOD CORAL





REGAL CINNAMON WOOD WALNUT

RANDOM AVAILABLE
























REGAL LACE WOOD AZURE



REGAL LACE WOOD WENGE

RANDOM AVAILABLE



600X1200MM






















Bring Aboard He Raw Appeal



600X1200MM











REGAL MEPLE WOOD BEIGE





REGAL MEPLE WOOD BROWN DECOR





REGAL MEPLE WOOD BROWN



Get Earthen And Elegant Together


















600X1200MM



REGAL NELCO WOOD BROWN





REGAL NELCO WOOD TAUPE



Simple Yet Splendid Form Of Nature


























REGAL PINE WOOD BROWN



REGAL RIVA CALCE





Hypnotic Beauty To Dilute Perfection















REGAL ROYAL WOOD CREMA

RANDOM AVAILABLE



REGAL ROYAL WOOD WENGE





REGAL SAFFRON WOOD LEMON





REGAL SAFFRON WOOD NATURAL





600X1200MM














RANDOM AVAILABLE REGAL VIENNA WOOD



REGAL WOODEN 417



For Places Observing Serenity



600X1200MM













REGAL AUTOMN WOOD BROWN RANDOM AVAILABLE



REGAL AUTOMN WOOD GRIS



REGAL AUTOMN WOOD PINE



Being One Of A Kind As Always




































REGAL BLOSSAM WOOD BEIGE





REGAL BLOSSAM WOOD BROWN





REGAL BLOSSAM WOOD CREMA



A Brush Of **Natural Perfection**



600X1200MM


















REGAL CHESTNUT BEIGE



Add The Extraordinary Flavour Of Nature

















REGAL CLARA WOOD BEIGE





REGAL CLARA WOOD BROWN






REGAL CLARA WOOD CREMA



Time To Treat Your Space With Nature


























REGAL PINE WOOD BEIGE






REGAL PINE WOOD BROWN





REGAL PINE WOOD WENGE

Adorn Your Space With Artistic Ideas



600X1200MM













REGAL REDD WOOD

RANDOM AVAILABLE



REGAL ROVER WOOD

CHERRY



REGAL ROYAL WOOD BROWN



Design. Transform, Enjoy



600X1200MM

















REGAL TENGO WENGE



Inspirations For Elite Living



















Get Ready For A Marvellous Lifestyle






















TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO-13006 / En 14411 GROUP Bla | MEAN VALUE | TEST METHOD | | | |
|---|---|---------------------------|--------------|--|--|--|
| REGULATORY PROPERTIES | | | | | | |
| Deviation In Lenght & Width | ±0.50% | ±0.10% | ISO 10545-2 | | | |
| Deviation In Thickness | +5.00% | ±3.5% | ISO 10545-2 | | | |
| Straightness In Side | ±0.50% | ±0.10% | ISO 10545-2 | | | |
| Rectangularity | ±0.50% | ±0.2% | ISO 10545-2 | | | |
| Surface Flatness | ±0.50% | ±0.2% | ISO 10545-2 | | | |
| Color Difference | Unaltered | No Change | ISO 10545-16 | | | |
| Glossiness | As per Manufacturer | Min 70% | Glossometer | | | |
| STRUCTURAL PROPERTIES | | | | | | |
| Water Absorption | ≤0.50% | ≤0.05% | ISO 10545-3 | | | |
| Apparent Density | >2.00gm/cc | >2.28gm/cc | DIN 51082 | | | |
| MASSIVE MECHANICAL PROPERTIES | | | | | | |
| Flexural Modulus Of Rupture | Min 35 N/mm² | Min 40 N/mm² | ISO 10545-4 | | | |
| Flexural Breaking Strength | Min 1300 N | Min 2000 N | ISO 10545-4 | | | |
| Impact Resistance | As per Manufacturer | Min 0.55 | ISO 10545-4 | | | |
| SURFACE MECHANICAL PROPERTIES | | | | | | |
| Deep Abrasion Resistance | Max 175 mm² | Max 132 mm² | ISO 10545-6 | | | |
| Moh's Hardness | Min 6 | 8* | EN 101 | | | |
| THERMO HYGROMRTRIC PROPERTIES | | | | | | |
| Frost Resistance | No Damage | Frost Proof | ISO 10545-12 | | | |
| Thermal Shock Resistance | No Damage | No Damage | ISO 10545-9 | | | |
| Moisture Expansion | Nil | Nil | ISO 10545-10 | | | |
| Thermal Expansion | Max 9.00 x 10 ⁻⁶ | Max 6.50 x 10 | ISO 10545-8 | | | |
| CHEMICAL PROPERTIES | | | | | | |
| Chemical Resistance | No Damage | No Damage | ISO 10545-13 | | | |
| Stain Resistance | Resistant | Resistant | ISO 10545-14 | | | |
| SEFETY PROPERTIES | | | | | | |
| Slip Resistance (Friction Co-Efficient) | >0.40 | >0.40 | ISO 10545-17 | | | |

PACKING DETAIL

| SR.NO | Nominal Size | Nominal Thickness | No. Tiles Per Box | Coverage Area Per Box |
|-------|---------------|-------------------|-------------------|------------------------------|
| 1 | 600 x 1200 mm | 10.5 mm (Approx.) | 2 Pcs | 15.50 Sq. Ft / 1.44 Sq. Mtr. |